



Looks Great.
Feels Good.
Long Life.
Priced Right.

Because What You Do Matters
Serious Gear for Serious Fire Fighting



MORNING PRIDE
by Honeywell

Morning Pride Helmets

Structural, Proximity and Heavy Duty
Technical Rescue and Recovery

Features and Advantages

Strongest Shell on the Market

Nothing outperforms FYR-Glass, the patented material found only in fire helmets made by Morning Pride. Our exclusive formula creates the strongest shell in the industry. In fact, tests show that FYR-Glass is 42% more resistant to impact penetration than helmets made of fiberglass, even when those helmets are made with impact caps! The inherent strength of FYR-Glass gives us design options not available with weaker materials.

PLUS, FYR-Glass helmets are the longest lasting, most durable and least expensive to maintain. Why is that? Because of the way FYR-Glass is made. Using presses and molds that withstand pressures in excess of 1000 psi at temperatures exceeding 275 degrees Fahrenheit, Morning Pride helmets are

made from a sheet molded compound (SMC) unlike any other in the industry. Because we don't cut corners or skimp on this material, our helmets are able to withstand more abuse than any other helmet.

FYR-Glass Technology

FYR-Glass is a huge technological leap forward and renders an impact cap unnecessary. Thanks to this technology, we are able to build a helmet that is lighter, lower ride, more comfortable and better fitting no matter what head size a firefighter might have. And, we don't have to worry about our shell detaching from the impact cap during a fire.

High Heat Performance


No other shell stands up to high heat like FYR-Glass. When exposed to radiant heat of two Watts per

Operational Models

Structural



Proximity



centimeter squared (2 W/cm² – the NFPA-mandated test exposure), all shells except FYR-Glass showed blistering and finish damage. But FYR-Glass came through the test virtually unaffected, without blistering or finish damage. If other shells show damage after only two minutes in high heat conditions, how well will they perform during extended times under high heat on the fire ground? That's a question you won't have to worry about with a Morning Pride helmet made with our exclusive FYR-Glass technology!



Low Ride, Better Fit, Low Center of Gravity

Our 8-point suspension and wider interior gives wearers superior comfort and fit. And because our shells are so strong they don't need impact caps, Morning Pride helmets have the lowest center of gravity on the market, which means a better feeling ride and less neck strain!

More Sizes, More Adjustability

Our headband/ratchet will fit the largest range of hat sizes of any NFPA helmet on the market – from under 6 to over size 9.

Four position depth adjustments for a full inch depth difference at the front and at the rear, make it possible to fit any head with just a few quick and easy adjustments.



Bull Dog Edge Beading

With most manufacturers who have a great product, the tendency is to not change it and leave it alone. Not us. We are constantly looking for ways to make our products even better.

Our new heavy duty Bull Dog Edge Beading material delivers improved edge bead durability as it has properties that are even more resistant to wear.

Because What You Do Matters

Serious Gear for Serious Fire Fighting



He was the best man at my wedding, a friend since child-

hood, promoted the same day as me and there he was, about 500 feet away working on "the pile" just like me. I went back to work thinking, "he made it." It was the highlight of my day.

Doug Sloan
Retired Lt. FDNY, Squad 270

Senior Director of Metro
Special Projects – Honeywell
First Responder Products

Technical Rescue and Recovery



Emergency Medical Services (EMS)



Wildland



Custom Options

- Goggle Garage
- Leather Headband/Ratchet
- EZ-Flips – NFPA 1971 and ANSI Z87.1 Certified

Find us on



MorningPride Mfg

Morning Pride Helmets

Structural, Proximity and Heavy Duty
Technical Rescue and Recovery

Features and Advantages

Comfortable and Easy to Replace Suspension

A soft and supple headband cradles your head in comfort while it keeps the overhead straps off your scalp. Damaged suspensions can be replaced if quickly and easily.

Securely Attached Ear Covers

Ear covers installed using Nomex® webbing looped over the suspension tabs can be easily removed for cleaning.

Goggle Garage Option

Protects goggles from debris and radiant heat.

Large Hang-up Loop

Large enough to easily fit over a peg. Also stays in position.

Durable Eagle Front Holder

Mounting slots allow Eagle to move fore and aft to fit any brand/style of front. Easy to replace. Solid lightweight construction doesn't crush if dropped.




Protected Suspension Straps

Internally located suspension straps are not affected by external heat or flame. No exposed nylon suspension straps.

Rugged and Dependable

Helmet assembly points are engineered to remain together even under the most severe punishment.



Certifications

Structural

- NFPA 1971, 2007 Edition

Proximity

- NFPA 1971, 2007 Edition

Shell Material

FYR-Glass

FYR-Glass

Wide Choice of Colors

Ben 2 Plus and Lite Force Plus helmets come in the following standard colors: Black, White, Red, Yellow, Blue, Orange and Green.

EZ Quick Attach Goggles

Add goggles with 2-strap eyelet attachments easily to your Morning Pride helmet with our engineered side attachment design.



EZ Change Chinstrap

Helmet chinstraps can be quickly and easily changed in the field.



Lightweight

No need for the extra weight of an impact cap with Morning Pride's super tough FYR-Glass helmet shell.

Perfect Air Mask Fit

Interfaces perfectly with your air mask. The fit is the same whether you are wearing a mask or not!



Anti-snap Front Stabilization Bracket Option

Prevent the possibility that your leather front might shrink in high heat and leave a gap between your shield and helmet that could snag wires with our popular Anti-snap Front Bracket.

Built In Goggle Retention

Every suspension ring is goggle ready without adding any extra retaining parts.

NFPA 1971, 2007 Edition and ANSI Z87.1 CERTIFIED EZ-Flips

You now have a third option choice for NFPA/ANSI required face protection. No fogging problems. Works perfectly with glasses. No ear cover interface problems. Easy to deploy with a single finger of a gloved hand. MIOSHA Compliant.



Because What You Do Matters

Serious Gear for Serious Fire Fighting



Looking back, I can think of no other occupation that could

have ever defined me more than this profession.

Jim Walter

Active Chief
Hilltown Township Fire Company
Bucks County, PA

Vice President
National Accounts – Honeywell
First Responder Products

Technical Rescue and Recovery

- NFPA 1951, 2007 Edition
- NFPA 1977, 2005 Edition

Emergency Medical Services (EMS)

- ANSI Z89.1-2003, Type 1, Class E

Wildland

- NFPA 1977, 2005 Edition

FYR-Glass
Thermo-FYR

Poly-Med

Thermo-FYR

Because What You Do Matters

Serious Gear for Serious Fire Fighting



I have been able to see sides of life and humanity few

others ever experience. Lessons in life that have made me a better person.

Brian Blinn

Active Firefighter/EMT
Englewood Fire Department
Englewood, OH

Vice President Sales – Honeywell
First Responder Products

Morning Pride Helmets

Lightweight Technical Rescue/Recovery/Utility, EMS and Wildland Helmets

Features and Advantages

Lightweight Technical Rescue Recovery Utility and Wildland

Thermo-FYR Injection Molded Shell Technology

The shells are all made from our specially engineered Thermo-FYR, high temperature thermo-plastic. This material provides the ideal characteristics needed for Technical Rescue Recovery/Utility Incidents and Wildland fire fighting.

Six point suspensions, two-way front and rear headband depth adjustment with separate rear width adjustment provide for proper fit and comfort on full brim and front brim helmets.

Optional Face Protection

Visors: Visor brackets are available for front brim and full brim models. Both use the same faceshield or mesh screens. No tools are required for installation.

Optional Hearing

Protection: Muffs can be used by themselves or in conjunction with visor brack-

ets on all front brim and full brim models. No tools are required for installation.

Optional Ear Covers For Every Purpose: Choices of optional ear covers include Yellow Nomex®/FR Cotton and Yellow Nomex®/FR Cotton NFPA 1977 Face/Neck Shroud.

Headlamp Retention

Clips: Specially designed clips hold headlamps securely to Technical Rescue Recovery/Utility and Wildland helmets.



Choice of Goggles: Select from Paulson or ESS brand goggles with Pbi®/Nomex® elastic straps. Choose Wildland (NFPA 1977) style or the higher performance of Structural (NFPA 1971) so they can be used on all your fire helmets.

Stay-On Goggle Clips:

Uniquely designed internal retaining clips keep goggles on helmets and in line for optimal goggle seal.

More Comfortable:

Specially made headband keeps straps away from your head and cushions your scalp in soft material for added comfort.

Optional leather headband/ratchet covers.

Emergency Medical Services (EMS)

Poly-Med Injection Molded Shell Technology

The shells on the EMS helmets (which meet ANSI Z891-2003, Type 1, Class E) are all made from our specially engineered Poly-Med injection moldable, high density plastic. This material provides the ideal characteristics needed by today's deeply involved EMS personnel.

Automatically threaded and electronically welded overhead straps give the EMS 4-point suspension superior performance at an economical price. Four-way headband depth adjustment front and rear provide for proper fit and comfort. Uses standard hard hat style ratchet.

Wide Choice of Colors

Our lightweight helmets come in the following standard colors: White, Red, Yellow, Blue, Orange.



Configurations

Morning Pride Helmet Standard Configurations
if No Custom Options are Ordered

Helmet Description Model Number	Shell Material	Shell Colors	Ear Covers	Chinstraps	Eye/Face Protection	Trim
Ben 2 Plus Traditional HT-BF2-BPR – HT-BF2-HDO	FYR-Glass	B, W, R Y, U, O, G	BPR = Yellow Nomex®/Moisture Barrier/FR Cotton HDO = Yellow/ Nomex®/FR Cotton	Nomex® Quick Release Postman Slide	Clear APEC Hi-Temp 4" x .150"	Reflexite® 8-Trapezoids Lime
Lite Force Plus Modern HT-LF2-BPR – HT-LF2-HDO	FYR-Glass	B, W, R Y, U, O, G	BPR = Yellow Nomex®/Moisture Barrier/FR Cotton HDO = Yellow/ Nomex®/FR Cotton	Nomex® Quick Release Postman Slide	Clear APEC Hi-Temp 4" x .110"	Reflexite® 5 – 1" x 4" Lime
Proximity Plus Traditional HT-BF2-PROX	FYR-Glass	*B, W, R Y, U, O, G	Aluminized Pbi® W.L. Gore Moisture Barrier, Thermal Liner	Nomex® Quick Postman Slide	Gold Coat 6" x .130"	N/A
Proximity Plus Modern HT-LF2-PROX	FYR-Glass	*B, W, R Y, U, O, G	Aluminized Pbi® W.L. Gore Moisture Barrier, Thermal Liner	Nomex® Quick Postman Slide	Gold Coat 6" x .130"	N/A
Technical Rescue Recovery Utility Heavy Duty HT-UHD	FYR-Glass	B, W, R Y, U, O, G	Optional	Nomex® Quick Release Postman Slide	Optional	Reflexite® 4 – 1" x 4" Lime
Technical Rescue Recovery Utility Lightweight Front Brim – HT-US†	Thermo- FYR	W, R, Y, U, O	Optional	Nomex® Quick Release	Optional	Reflexite® 4 – 1" x 4" Lime
Technical Rescue Recovery Utility Lightweight Full Brim – HT-UF†	Thermo- FYR	W, R, Y, U, O	Optional	Nomex® Quick Release	Optional	Reflexite® 4 – 1" x 4" Lime
Wildland Front Brim HT-WS	Thermo- FYR	W, R, Y, U, O	Optional	Nomex® Quick Release	Optional	Reflexite® 4 – 1" x 4" Lime
Wildland Full Brim HT-WF	Thermo- FYR	W, R, Y, U, O	Optional	Nomex® Quick Release	Optional	Reflexite® 4 – 1" x 4" Lime
EMS HT-ES	Poly-Med	W, R, Y, U, O	Optional	Optional	Optional	Optional

* When no shell color is specified, we assume color matching is not an issue and will ship the shell color(s) of our choice. Available Shell Colors: B/Black, W/White, R/Red, Y/Yellow, U/Blue, O/Orange, G/Green.

† Also Certified to NFPA 1977 Wildland Standard

Morning Pride Helmets

Ben 2 Plus Traditional Helmets

NFPA 1971, 2007
Edition Certified



Standard Models:

HT-BF2-BPR – Bloodborne Pathogen Resistance Helmet comes with Moisture Barrier Ear Covers and Faceshield

HT-BF2-HDO – Head Only Protection

How to Build Your Helmet:

Step 1: Specify Basic Assembly:

Includes 8-point Padded Ratchet Suspension and Hang-up Loop

Step 2: Choose Required Components:

- Chinstrap Choice
- Ear Cover Choice
- Eye and Face Protection Choices – must include Faceshield, Goggles or EZ-Flips to meet NFPA
- Headband/Ratchet Cover Choice
- Retroreflective Trim Pattern/Package Choice
- Traditional Eagle Front Holder Choice

Step 3: Select Options:


- Accessories
- Fronts and Anti-sag Front Stabilization Bracket and Screw
- Auxiliary Helmet Products

Shell Colors: B–Black, W–White, R–Red, Y–Yellow, O–Orange, U–Blue, G–Green
Visit www.HoneywellFirstResponder.com and click on catalogs for our helmet and front specifying Worksheets.

Required Components

Chinstrap Choices

STANDARD



Nomex® Postman Slide and Quick Release



Nomex® Milwaukee Chinstrap



Nomex® 4-Point with Quick Release



Maskmate™ 1 1/2" Hook and Loop Quick Closure
Nomex® or Pbi®

Ear Cover Choices

STANDARD – HDO



Standard BPR
Yellow Nomex®/ Moisture Barrier/ FR Cotton

Standard HDO
Yellow Nomex®/ 2-Layers FR cotton
Black Pbi®/2-Layers FR Cotton (FDNY Spec Optional Material Choice)

Other Outer Shell Colors Available



Canadian Style Ear Cover

Headband/Ratchet Cover Choices



Headband/Ratchet Cover

Optional Leather Headband/Ratchet Cover

Eye and Face Protection Choices


STANDARD



4" x .150" APEC Faceshield



4" x .150" DURA-Shield



Paulson or ESS NFPA 1971 Goggles



ESS NFPA 1971 2-strap Quick Attach Goggles



NFPA 1971 Certified EZ-Flips
Non-NFPA EZ-Flips
NFPA 1971 ANSI Z-87.1 (Z87+) Certified EZ-Flips

Required Components

Retroreflective Trim/Pattern Choices

STANDARD



Trapezoids (8)
Reflexite® Lime



Trapezoids (8)
GLO-Flex® Yellow



Trapezoids (8)
3M™ Scotchlite™
Lime or Orange




Trapezoids (8)
3M™ Scotchlite™
2-Tone
Lime or Orange

Traditional Eagle Front Holder Choices

STANDARD



Golden Alloy Plating



Stamped Brass

Optional Accessories



1 1/2" or 2" Faceshield
Custom Logo Decals



Goggle Garage



Winter Liner Insert

Optional Fronts



FDNY
Assigned
Officer



FDNY
Firefighter



FDNY
Covering
Officer



L.A. County



Houston



Recognition
Award



Field Comm
Unit
Lieutenant



Memphis



Truck Lettered



Basic



Fort Worth



Sacramento

Custom Fronts
We can design a
leather front to meet
your specific needs.



Acting Batt
Chief
(Recessed)



Acting Batt
Chief (Raised)



Arched
Assigned
Officer



Field Comm
Unit (Raised)



Columbus or
Chicago



Gold Leaf



Houston
Passport System



L.A. County
Passport System



Multi-Color
Integral Option

Optional Front Accessories



Metal Circular
Rank Insignias



Anti-snap Front
Stabilization
Bracket

Find us on



MorningPride Mfg

Morning Pride Helmets

Lite Force Plus Modern Helmets

NFPA 1971, 2007
Edition Certified



Standard Models:

HT-LF2-BPR – Bloodborne Pathogen
Resistance Helmet Comes with
Moisture Barrier Ear Covers and
Faceshield

HT-LF2-HDO – Head Only Protection

How to Build Your Helmet:

Step 1: Specify Basic Assembly:

Includes 8-point Padded Ratchet Suspension
and Hang-up Loop

Step 2: Choose Required Components:

- Chinstrap Choice
- Ear Cover Choice
- Eye and Face Protection Choices – must
include Faceshield, EZ-Flips or Goggles to
meet NFPA
- Headband/Ratchet Cover Choice
- Retroreflective Trim Pattern/Package
Choice

Step 3: Select Options:

- Accessories
- Fronts
- Auxiliary Helmet Products

Shell Colors: B–Black, W–White, R–Red, Y–Yellow,
O–Orange, U–Blue, G–Green

Visit www.HoneywellFirstResponder.com and Click
on Catalogs for our Helmet and Front Specifying
Worksheets.

Required Components

Chinstrap Choices

STANDARD



Nomex® Postman
Slide and Quick
Release



Nomex®
Milwaukee Chinstrap



Nomex® 4-Point with
Quick Release



Maskmate™
1½" Hook and Loop
Quick Closure
Nomex® or Pbi®

Ear Cover Choices

STANDARD – HDO



Standard BPR
Yellow Nomex®/
Moisture barrier/
FR Cotton

Standard HDO
Yellow Nomex®/
2-Layers FR cotton
Black Pbi®/2-Layers
FR Cotton (FDNY
Spec Optional
Material Choice)
Other Outer Shell
Colors Available



Canadian Style Ear
Cover

Headband/Ratchet Cover Choices



Headband/Ratchet
Cover

Optional Leather
Headband/Ratchet
Cover

Eye and Face Protection Choices

STANDARD



APEC Faceshields
4" x .110"
4" x .150"
6" x .130"



DURA-Shield
4" x .150"



NFPA 1971
ANSI Z-87.1 (Z87+)
Certified EZ-Flips



Paulson and ESS
NFPA 1971 Goggles



ESS NFPA 1971
2-Strap Quick Attach
Goggles

Proximity Plus Helmets

Traditional and Modern

NFPA 1971, 2007 Edition Certified

Required Components

Retroreflective Trim/Pattern Choices

STANDARD



(5) 1" x 4" Bars
Reflexite® Lime
GLO-Flex® Yellow
3M™ Scotchlite™ Lime



(10) Trapezoids
Reflexite® Lime
GLO-Flex® Yellow
3M™ Scotchlite™
Solid Lime or Orange
2-Tone Lime
2-Tone Orange



(3 Sets)
Parallelograms
Reflexite® Lime
GLO-Flex® Yellow
3M™ Scotchlite™
Lime or Orange
2-Tone
Parallelograms
Lime or Orange

Optional Accessories



1 1/2" or 2" Faceshield
Logo Decals



Goggle Garage



Winter Liner Insert

Optional Fronts



Leather Passport
Accountability
Individual



Multi-Color Integral
Option



Retroreflective
Reflexite® and
3M™ Scotchlite™

Required Components

Chinstrap Choices

STANDARD



J-Fire

Headband/Ratchet Cover Choices



STANDARD

Optional Leather
Headband/Ratchet
Cover

Optional Accessories



1 1/2" or 2" Faceshield
Custom Logo Decals



Faceshield cover

**Standard
Ben 2 Plus:
HT-BF2-PROX**

**Standard
Lite Force Plus:
HT-LF2-PROX**

Both Models Inherently Provide Bloodborne
Pathogen Resistant Level of Protection

How to Build Your Helmet:

Step 1: Specify Basic Assembly:

Includes Aluminized Helmet Cover,
6" x .130" Gold Coat Faceshield,
8-point Padded Ratchet Suspension and
Hang-Up Loop

Step 2: Choose Required Components:

- Chinstrap Choice
- Shroud Choice
- Headband/Ratchet Cover Choice


Step 3: Select Optional Accessories

Shell Colors: B-Black, W-White, R-Red,
Y-Yellow, O-Orange, U-Blue, G-Green

Required Components

Chinstrap Choices

STANDARD



Nomex® Postman
Slide and Quick
Release



Nomex®
Milwaukee Chinstrap

Optional Winter
Liner Insert

Morning Pride Helmets

Technical Rescue and Recovery/Utility

Heavy Duty

NFPA 1951,
2007 Edition
Certified



How to Build Your Helmet:

Step 1: Specify Basic Assembly:

Technical Rescue and Recovery/Utility

Heavy Duty: Includes 8-point Padded Ratchet Suspension

Step 2: Choose Required Components:

- Chinstrap Choice
- Headband/Ratchet Choice
- Retroreflective Trim Pattern/Package

Step 3: Select Options:

- Ear Cover Choice
- Eye and Face Protection Choice
- Accessories
- Fronts
- Auxiliary Helmet Products

Required Components

Chinstrap Choices

STANDARD



Nomex® Postman
Slide and Quick
Release



Nomex®
Milwaukee Chinstrap

Chinstrap Choices



Nomex® 4-Point with
Quick Release

Headband/Ratchet Cover Choices



Standard or
Optional Leather
Headband/Ratchet
Cover

Required Components

Retroreflective Trim/Pattern Choices

STANDARD



(5) 1" x 4" Bars
Reflexite® Lime
GLO-Flex® Yellow
3M™ Scotchlite™ Lime



(3 Sets)
Parallelograms



(10) Trapezoids
Reflexite® Lime
GLO-Flex® Yellow
3M™ Scotchlite™
Solid Lime or Orange
2-Tone Lime
2-Tone Orange

Reflexite® Lime
GLO-Flex® Yellow
3M™ Scotchlite™
Lime or Orange
2-Tone
Parallelograms
Lime or Orange

Optional Accessories

Ear Cover Choices

STANDARD – HDO



Yellow Nomex®/
Moisture Barrier/
FR Cotton

Yellow Nomex®/
2-Layers FR cotton

Other Outer Shell
Colors Available



Canadian Style Ear
Cover

Eye and Face Protection Choices

STANDARD



APEC Faceshields
4" x .110" – 4" x .150"
or 6" x .130"



DURA-Shield
4" x .150"



NFPA 1971
ANSI Z-87.1 (Z87+)
Certified EZ-Flips



Paulson and ESS
NFPA 1977 Goggles

NFPA 1977 ESS
Goggles with Padding



NFPA 1977
ESS Quick Attach
Goggles with Padding

Lightweight Helmets

Optional Accessories



1½" or 2" Faceshield
Custom Logo Decals



Goggle Garage



Winter Liner Insert



Leather Passport
Accountability
Individual Fronts



Multi-Color Integral
Front Option



Reflexite® and
3M™ Scotchlite™
Retroreflective
Fronts

Technical Rescue and Recovery/ Utility

NFPA 1951, 2007 Edition Certified
NFPA 1977, 2005 Edition Certified



Front Brim



Full Brim

Wildland

NFPA 1977, 2005 Edition Certified



Front Brim



Full Brim

EMS

ANSI Z89.1-2003,
Type 1, Class E



How to Build Your Helmet:

Step 1: Specify Basic Assembly:

**Technical Rescue and Recovery/
Utility Full or Front Brim:** Includes
6-point Ratchet Suspension, Goggle
Clips, 3 Headlamp Retention Clips and
4 - 1" x 4" Lime Reflexite® Bars.

Wildland Full or Front Brim: Includes
6-point Ratchet Suspension, Goggle
Clips, 3 Headlamp Retention Clips and
4 - 1" x 4" Lime Reflexite® Bars.

EMS: Includes 4-point Ratchet
Suspension.

Step 2: Select Required Components:

- Chinstrap Choice

Step 3: Select Options:

- Chinstrap Choice (EMS User Installed)
- Ear/Hearing Protection Choice
- Ear Cover Choice
- Eye and Face Protection Choice
- Leather Headband/Ratchet Cover
Choice
- Retroreflective Trim Pattern Choices
(EMS User Installed)
- Winter Liner Choice
- Fronts
- Auxiliary Helmet Products

Shell Colors: W-White, R-Red, Y-Yellow,
O-Orange, U-Blue

Required Components

Chinstrap Choices – Technical Rescue and
Recovery/Utility and Wildland

STANDARD



Nomex® with Quick
Release



Nomex® 4-Point with
Quick Release

Optional Accessories

Chinstrap Choice



Polypropylene
2/4-Point with Quick
Release

Ear/Hearing Protection Choices



Front and Full Brim
Muffs

Morning Pride Helmets

Lightweight Helmets

Optional Accessories

Ear Cover Choices



Yellow Nomex®/
FR Cotton

Other Outer Shell
Colors Available



Yellow Nomex®/
FR Cotton NFPA 1977
Face/Neck Shroud



EMS Only –
Nylon/Crosstech®
EMS

Eye and Face Protection Choices



Paulson Goggles for
NFPA 1977



ESS Goggles for
NFPA 1977



ESS Goggles
w/Padding for
NFPA 1977



ESS 2-Strap Quick
Attach Goggles
w/Padding for
NFPA 1977*



7" Mesh/Screen
Visor for Front and
Full Brim Helmets
(Visor Bracket
Required)



6" x .060" Poly/Carb
Visor for Front and
Full Brim Helmets
(Visor Bracket
Required)



Visor Bracket for
Front Brim



Visor Bracket for
Full Brim

Leather Headband Cover Choice



Winter Liner Insert Choice



Retroreflective Trim Pattern Choice

1" x 4" Bars (4)



Optional Fronts



Leather Passport
Accountability
Individual Fronts



Multi-Color Integral
Front Option




Reflexite® and
3M™ Scotchlite™
Retroreflective
Fronts

Auxiliary Helmet Products

Metal Circular Rank Insignias



Retroreflective Circular Rank Insignias



Reflexite® Retroreflective Flags

3M™ Scotchlite™ Truck Style Art Quality Letter and Number Products



3M™ Scotchlite™ Truck Style Art Quality Arched and Straight Title Tapes



3M™ Scotchlite™ Truck Style Retroreflective Flags



3M™ Scotchlite™ Truck Style Flag



3M™ Scotchlite™ Garment Style Arched Title Tapes



Proudly Supporting



IAFC
International
Association of
Fire Chiefs



NVFC
National
Volunteer
Fire Council



FDSOA
Fire
Department
Safety Officers
Association



FEMSA
Fire Equipment
Manufacturers
& Suppliers
Association



NFPA
National Fire
Protection
Association



ISFSI
International
Society of
Fire Service
Instructors



NFFF
National Fallen
Firefighters
Foundation



**The IAFF Fire
Fighters Burn
Foundation**



**Firefighter
Cancer Support
Network**



**International
Association
of Black
Professional
Fire Fighters**



**Congressional
Fire Services
Institute**



**INTERNATIONAL ASSOCIATION OF
WOMEN IN FIRE &
EMERGENCY
SERVICES**



Find us on



MorningPride Mfg

Honeywell

First Responder Products

800-688-6148

#1 Innovation Court • Dayton, OH 45414
(937) 264-2662 • (937) 264-2677 Fax
ISO 9001:2000

email: info@HoneywellFirstResponder.com
www.HoneywellFirstResponder.com